





| S.No     | 1                | 2                   | 3                | 4                | 5  | 6   | 7  | 8                        |
|----------|------------------|---------------------|------------------|------------------|--|---|--|--------------------------|
| DISTRICT | NAME OF FACILITY | BEDDED/N ON BEDDED  | SANCTIO NED BEDS | FUNCTIO NAL BEDS | NAME & CONTACT NUMBER OF BMW NODAL OFFICER | NAME OF CBWMTF  | VALIDITY OF CONTRACT WITH THE FIRM         | Expiry date              |
| 67       | Hoshiarpur       | CH Hoshiarpur       | Bedded           | 200              | 200  | Dr. Jatinderpal singh 9872009183                        | Rainbow envornment LTD,Mohali              | 31/3/2018 (one year)     |
|          |                  | C H Dasuya          | BEDDED           | 110              | 110  | Dr Ranjit Singh 9855241856                              |  | 01.06.2016 to 31.03.2021 |
| 69       |                  | CH Garshankar       | Bedded           | 50               | 50   | DR GURINDER JIT SINGH                                   | RAINBOW- ENVIRONME NTS                     | 31.03.2018               |
| 70       |                  | SDH Mukerian        | Bedded           | 75               | 75   | DR Raman Kumar  |  | 31.03.2019               |
| 71       |                  | CHC Bhunga          | bedded           | 30               | 20   | Dr. Jatinder Bhatia                                     |  | 31/03/2021               |
| 72       |                  | CHC MAND BHANDER    | BEDDED           | 30               | 10   | Dr. VARUN NAYYAR, 73472-82340                           |  | 01-06-2016 TO 31-03-2016 |
| 73       |                  | CHC Budhabar        | bedded           | 30               | 12   | Dr Davinder- 9915181450                                 |  | 31/03/2021               |
| 74       |                  | CHC Hajipur         | Bedded           | 30               | 20   | dr.harjinder 9814569169                                 |  | 18-Mar                   |
| 75       |                  | CHC TANDA           | 30               | 30               | DR KARAMJIT SINGH (9417343176)             |   | 26FEB 2016 TO 31.03.2021                   |                          |
| 76       |                  | CHC Mahlipur        | bedded           | 30               | 24   | Dr Prabhjot- 842996054                                  |  | 31/03/2021               |
| 77       |                  | shc sham chaurasi   | bedded           | 30               | 14   | 9888649922  |  | 31/03/2021               |
| 78       |                  | CHC Bhol Kalata     | Bedded           | 30               | 12   | Dr.bhupinder 9417278786                                 |  | 18-Mar                   |
| 79       | Jalandhar        | DH Jalandhar        | Bedded           | 470              | 550  | Dr. Amarjit Singh Riar ph. 9814019608                   | M/s Rainbow                                | 1/9/16 to 31/3/21        |
| 80       |                  | SDH Nakodar         | 50               | 62               | all  | Dr.Harpreet Singh 9216350875                            |  | 31/3/2021                |
| 81       |                  | SDH Phillaur        | 50               | 50               | 39   | Dr. Rohini Goyal 98141-01901                            |  | 18-May                   |
| 82       |                  | CHC Kalabakra       | 30               | 30               | 30   | Dr Harpreet Singh 9815634164                            |  | 18-Mar                   |
| 83       |                  | CHC Kartarpur       | 30               | 30               | 30   | Dr.Surinder   |  | yes                      |
| 84       |                  | CHC Shanker         | 30               | 30               | 30   | Dr.Amandeep Gill 9876741233                             |  | 31.3.18                  |
| 85       |                  | CHC Lohian          | 30               | 30               | 30   | Dr. Abhishek 9988196913                                 |  | 18-Jun                   |
| 86       |                  | CHC Apra            | 30               | 30               | 7  | Dr.Harinderpal Singh M.O. DENTAL Contact No. 8872700435 |  | 01-04-2016 to 31-03-2021 |
| 87       |                  | CHC Bundala         | 30               | 30               | 30   | Dr.Vikram sohar   |  | yes                      |
| 88       |                  | CHC Barapind        | 30               | 30               | 30   | Dr.Avinash,9915630787                                   |  | yes                      |
| 89       |                  | CHC Adampur         | 30               | 30               | 30   | Dr. P. S. Dang ,Medical Officer, 9872210200             |  | Yes                      |
| 90       |                  | CHC PAP Jalandhar   | 30               | 30               | 30   | Dr.Namita Ghai9815918300                                | Rainbow                                    | 31/5/2020                |
| 91       |                  | CHC Shahkot         | 30               | 30               | 30   | Dr.Randeep (9855400316)                                 | Rainbow                                    | 31-3-18                  |
| 92       |                  | CHC Noormahal       | 30               | 30               | 30   | Dr.Sushil Kumar (9815648924)                            | Rainbow                                    | 31/03/2019               |
| 93       | Kapurthala       | DH Kapurthala       |                  | 100              | 100  | Dr.Prem 8427348108                                      |  | 13.12.2018               |
| 94       |                  | SDH Phagwara        |                  | 100              | 100  | Dr. Paramjit Kaur 9814837290                            |  | 30.06.2019               |
| 95       |                  | SDH Sultanpur Ludhi | 50               | 50               | 50   | Dr. Nirvair Singh 8727014693                            |  | 31.12.2018               |
| 96       |                  | SDH Bhoth           | 50               | 50               | 50   | Dr. Mohit 904118584                                     |  | 30.06.2019               |
| 97       |                  | CHC Kala Sanghian   | 30               | 30               | 30   | Dr.Sunakshi 9646019578                                  |  | 31.12.2020               |
| 98       |                  | CHC Begowal         |                  | 30               | 10   | Dr.Deepak 7837706600                                    |  | 28.02.2021               |
| 99       |                  | CHC Panchat         |                  | 30               | 25   | Dr.Gagandeep Saini 8368682775                           |  | 31.10.2021               |
| 100      |                  | CHC Tibba           |                  | 30               | 30   | Dr.Gurkamsjit Singh 9872922346                          |  | 31.10.2022               |
| 101      |                  | CHC Fattu Dhingra   |                  | 30               | 10   | Dr.Amandeep 9797675906                                  |  | 31.03.2022               |
| 102      | Ludhiana         | CH Ludhiana         |                  |                  |  |   | MEDICARE ENVIRONMENTAL MANAGEMENT PVT. LTD | 21-May                   |
| 103      |                  | SDH Jagraon         | Bedded           | 60               | 60   | DR. JATINDER SYAL 7095001231                            |  | 21-May                   |
| 104      |                  | SDH Samrala         | Bedded           | 50               | 50   | Dr.Sureesh Flanda (98148-19291)                         |  | 21-May                   |
| 105      |                  | SDH Khanna          | Bedded           | 100              | 100  | DR HARINDER SINGH 9814067540                            |  | 21-May                   |
| 106      |                  | SDH Raikot          | Bedded           | 50               | 30   | DR AMANDEEP KAUR dr. tejinder kaur                      |  | 21-May                   |
| 107      |                  | SDH Payal           | Bedded           | 30               | 30   | 98154-91985   |  | 21-May                   |
| 108      |                  | CHC Pakhowal        | Bedded           | 30               | 30   | Dr. Jasmine 8437000082                                  |  | 21-May                   |
| 109      |                  | CHC Machhiwara      | Bedded           | 30               | 30   | Dr. Navreet sohi  |  | 21-May                   |
| 110      |                  | CHC Manupur         | Bedded           | 30               | 30   | DR ANKUSH GOYAL   |  | 21-May                   |
| 111      |                  | CHC Maloudh         | Bedded           | 30               | 30   | DR SANDEEP KAUR 8146250144                              |  | 21-May                   |

**STATUS OF AUTHORIZATION**

Date of application PPCB

Renewal of authorization date

Reasons for pending

Applied but refuse by PPCB officer ( due to lack of ETP )

March,2018

31.07.2018

13.09.2018

18.10.2018

18-Mar

Dec.,2018

March,2019

October,2018

March,2023

March,2019

March,2019

Dec,2022

| 13                                      | 14                                      | 15   | 16          | 17        | 18         | 19                         | 20  | 21  | 22                      | 23  | 24                             | 25  | 26                                  | 27                                  |
|---|---|--|-------------|-----------|------------|----------------------------|---|---|-------------------------|---|--------------------------------|---|-------------------------------------|-------------------------------------|
| STATUS OF CONSENT UNDER WATER & AIR ACT | CONSENT NUMBER & VALID UPTO(H received) | QUANTITY OF FBIO MEDICAL WASTE GENERATED OR DISPOSED |             |           |            | TRAINING DETAILS (monthly) |   |   |                         | BMW COMMITTEE                                     |                                |   |                                     |                                     |
|   |   | YELLOW   | RED         | WHITE     | BLUE       | GENERAL SOLID WASTE        | LIQUID WASTE GENERATE D (In Liters through ETP) | NO.OF TRAINING ON BMW(INCL uding on spot) | NO. OF PERSONAL TRAINED | NO OF PERSONAL NOT UNDERGO NE ANY TRAINING SO FAR | SOP OF BMW AVAILAB LE(YES/N O) | IS bmw MANAGE MENT 2016 RULE BOOK AVAILAB LE (YES/NO) | NO. OF BMW COMMITTEE MEETING S HELD | IF MINUTES OF MEETING MADE (YES/NO) |
|   |   | 476.640 Kg   | 224.935 Kg  | 51.990 Kg | 260.955 Kg | 25 Quentals                | 3000 L  | 3   | 50                      | 2   | YES                            | YES   | 2                                   | YES                                 |
| Air yes water no                        | 1648 dated 20.03.2018                   | 360.275 kg   | 304.145 kg  | 27.300 Kg | 87.300 kg  | 19 k. 53 kg. 710 grms      | 1200 liter                                      | YES                                       | ALL                     | NO  | YES                            | YES   | 1                                   | YES                                 |
|   |   | 170.54 KG  | 172.94 KG   | 9.59 KG   | 30.43 KG   | 390KG                      |   |   |                         |   |                                |   |                                     |                                     |
| Yes                                     | Yes                                     | 234.97   | 213.915     | 74.9      | 10.7       | 850                        | 1500  | 2   | All                     | No  | Y                              | Yes   | 3                                   | Yes                                 |
|   |   | 127.95   | 29.8        | 1.78      | 4.08       | 96                         | 69.1  | All                                       |                         |   | y                              | YES   |                                     |                                     |
|   |   | 19.753   | 10.2        | 2.1       | 10.8       | 339                        | 89.5  | 4   | 5                       | 0   | 0                              | yes   | 3                                   | yes                                 |
|   |   | 13.7   | 7.1         | 1.2       | 12.8       | 7.5                        | 5.9   | All Staff                                 | 1                       | no  | 1                              | Yes   | 1                                   | 10 min                              |
|   |   | 42.61 kg   | 7.300 kg    | 4.51 kg   | 12.900 kg  | 41                         | 4 LTR   | 4   | 30                      | -   | 0                              | yes   | 2                                   |                                     |
| p                                       | YES                                     | 41kg 900gms  | 24kg 752gms | NIL       | NIL        | -                          | 1200LTS(A PP)                                   | 1-2                                       | MOST OF PERSON          | NIL   | YES                            | YES   | 1 IN EVERY MONTH                    | YES                                 |
|   |   | 81.07  | 52.41       | 0         | 7.3        |                            |   | 0   | all Staff               | all staff   | Yes                            | Yes   | 1                                   | 30                                  |
| yes                                     | 31/03/2019                              | 10.36  | 8.72        | 1.1       | 7.32       |                            | 40  | 7+3                                       | 10                      | 0   | yes                            | yes   | 1                                   | yes                                 |
|   |   | 16.456   | 5.485       | 6         | 0          | 0                          | 0   |   |                         |   |                                |   |                                     |                                     |
| Not Applicable                          | Not Applicable                          | 501.3  | 7.25        | 104.35    | 49.21      | No                         | No  | 3   | 10                      | 0   | Yes                            | Yes   | 1                                   | Yes                                 |
| Not Applicable                          | Not Applicable                          | 98.261   | 40.55       | 100.5     | 67.8       | No                         | No  | 2   | 9                       | 0   | Yes                            | Yes   | 1                                   | Yes                                 |
| Not Applicable                          | Not Applicable                          | 11.5   | 10.2        | 12.6      | 18.7       | No                         | No  | 2   | 6                       | 0   | Yes                            | Yes   | 1                                   | Yes                                 |
| Not Applicable                          | Not Applicable                          | 36   | 30          | 6         | 12         | No                         | No  | 2   | 8                       | 0   | Yes                            | Yes   | 1                                   | Yes                                 |
| Not Applicable                          | Not Applicable                          | 16.6   | 4.63        | 7.2       | 15.65      | No                         | No  | 2   | 8                       | 0   | Yes                            | Yes   | 1                                   | Yes                                 |
| Not Applicable                          | Not Applicable                          | 65.75  | 64.63       | 1.3       | 5.59       | No                         | No  | 2   | 8                       | 0   | Yes                            | Yes   | 1                                   | Yes                                 |
| Not Applicable                          | Not Applicable                          | 6.8  | 2.28        | 4.68      | 2.13       | No                         | No  | 1   | 4                       | 0   | Yes                            | Yes   | 1                                   | Yes                                 |
| Not Applicable                          | Not Applicable                          | 13.2   | 3.1         | 7.8       | 4.5        | No                         | No  | 1   | 4                       | 0   | Yes                            | Yes   | 1                                   | Yes                                 |
| Not Applicable                          | Not Applicable                          | 3.8  | 1.4         | 2.6       | 3.7        | No                         | No  | 1   | 3                       | 0   | Yes                            | Yes   | 1                                   | Yes                                 |
| No                                      | no                                      | 801.52   | 519.83      | 41.9      | 294.8      | 250                        | 6000  | 3   | 30                      |   | YES                            | YES   | 1                                   | yes                                 |
|   |   | 260.85   | 138.37      | 7.5       | 28.15      |                            |   |   |                         |   |                                |   |                                     |                                     |
| .....                                   | .....                                   | 59.39  | 39.91       | 1.38      | 11.04      | ....                       | ....  | 3   | 30                      | 0   | ...                            | ....  | 1                                   | Yes                                 |
|   |   | 136.65   | 56.27       | 1.47      | 33.71      | -                          | -   | 1   | 4                       | -   | YES                            | YES   | -                                   | -                                   |
| 0                                       | 0                                       | 22.85  | 3.5         | 0         | 0          | 7.78                       |   | #####                                     | 20                      |   | YES                            | YES   | YES                                 | YES                                 |
| Good                                    | -                                       | 142.21   | 29.74       | 2.74      | 10.18      | 1 Kg                       | 20 Litre  | 1   | 8                       | 0   | YES                            | YES   | YES                                 | YES                                 |
| Yes                                     |   | 34.400kg   | 5.77kg      | 0         | 1.85kg     | 0                          | 123   | 0   | 0                       | 0   | 0                              | Yes   | 0                                   | No                                  |
| VALID                                   | N.A                                     | 65.04  | 21.59       | 0.32      | 9.42       | 690                        | 2   | 10  | 0                       | Y   | Y                              | Y   | Y                                   | Y                                   |
|   |   | 35KG   | 25KG        | 0.32KG    | 2.32KG     | 45KG                       | 15  | ONE                                       | 2                       | 0   | YES                            | YES   | 1                                   | YES                                 |
| -                                       |   | 71.2   | 5.4         | 5.63      |            | 74 Kg                      | Liquid waste 97.81                              | 16/2/18                                   | All                     | 0   | Yes                            | Yes   | Yes                                 | Yes                                 |

Applied on 22.02.2018 but pending due to lack of ETP Plant

objections of ETP Plant





