



# PUNJAB HEALTH SYSTEMS CORPORATION

E-Block, 2<sup>nd</sup> Floor, Phase-8, (Sector 62)  
Punjab School Education Board Complex  
Sahibzada Ajit Singh Nagar (Mohali), PUNJAB  
Phone: 0172-2232243, 2232245 & 2232247  
Visit us at: punjabhealth.co.in

Visit us at : punjabhealth.co.in: email : proc.directorphsc1@gmail.com, proc.phsc3@gmail.com

## e-TENDER FOR THE EMPANELMENT OF ANALYTICAL TESTING LABORATORIES FOR ANALYSIS OF ITEMS FOR HOSPITAL CONSUMABLES VALID FOR TWO YEARS FROM DATE OF ISSUE.

No. PHSC/Proc./Contract-Agmnt-EMP.LAB/2025/ 12997-13002

Dated: 13/1/2025

To

M/s Shree Krishna Analytical Services P. Ltd.,  
A-5/4, Mayapuri Industrial Area, Phase-II, New Delhi-110064,  
Email: shreekrishnalab@gmail.com, info@skaslab.com

Subject:- Contract for Analysis of Consumables Items etc. - Bid Reference no.  
e-Tender/PHSC/Proc./R.C/Lab.Empanelment/2024/173- Online Price Bids  
opened on 09-01-2025.

Sir,

This is in reference to the bid submitted by your company against Bid Reference no. e-Tender/PHSC/Proc./R.C/Lab. Empanelment/2024/173. You are hereby informed that your above referred bid, quoted for L-1 rates has been accepted for the items specified below. The Contract agreement will be governed by the terms and conditions of the tender document. Please note that this Contract is being finalized relying upon the documents submitted by your company establishing the eligibility as per tender conditions, however if at any stage it is observed that your company does not meet/fulfill the eligibility criteria or your company has submitted any false statement or fabricated documents, the Contract will be liable for cancellation and further action will be initiated against your firm as per tender conditions. This Contract will be governed for the testing of following items and subject to the Terms and Conditions annexed and bid document :-

### Contract for Analysis of Items for Hospital Consumables

Sr. No.	BOQ Sl. No	Name of the Item	Item Code	Units	Rate Without Tax (In Rs.)	Tax/ Duties (In Rs.)	Rate With Tax (In Rs.)	Bid Rank
1.	60	Nebulizer Mask (Adult)	C-89	Per Piece	3500.00	630.00	4130.00	L1
2.	61	Nebulizer Mask (Paed.)	C-90	Per Piece	3500.00	630.00	4130.00	L1


### Contract for Analysis of Items for Suture Matrial

Sr. No.	BOQ Sl. No	Name of the Item	Item Code	Units	Rate Without Tax (In Rs.)	Tax/ Duties (In Rs.)	Rate With Tax (In Rs.)	Bid Rank
1.	123	Polyglactin / Lactomer Glycolide Lactide copolymer ½ circle round body / Taper Point 30 mm needle 75-90 cm -Size 2-0	S-28	12 Foils per Box	2000.00	360.00	2360.00	L1

✓

✓

**Terms & Conditions:-**

1.	<b>Agreement/ Validity (Tender Condition No. 07)</b>	: The agreement with empanelled laboratories will remain <b>valid for two years from the date of issue of this Contract Agreement.</b> This can further be extended for a further period as specified in tender document with mutual consent.
2.	<b>Performance Security  (Tender Condition No. 10)</b>	: The empanelled laboratory has to submit Performance Security of Rs. 25,000/- in the form of demand draft in favour of Managing Director, Punjab Health Systems Corporation, Payable at Chandigarh or Sahibzada Ajit Singh Nagar (Mohali) within 15 days from the date of receipt of this letter.
3.	<b>Complete Analysis &amp; Reporting Conditions  (Tender Condition No. 11)</b>  	: <p>1. a) On empanelment and entrustment of the job, the Analytical Laboratory should furnish the test reports as per following schedule:-</p> <ol style="list-style-type: none"><li>I. 15 days from the receipt of the sample in case of (non-sterile products) etc.</li><li>II. 21 days from the receipt of the sample in case of (Sterile products) etc.</li></ol> <p>b) For Medical Device, the entire test mentioned as per BIS/IP/BP/USP/Drugs &amp; Cosmetics Act. Etc., as the case may be (as per provision of Drug and Cosmetic Drug Act, 1940, Rules 1945 and 2017 made their under) should be carried out for each every sample. The result obtained in the test should be mentioned in numerical value (wherever possible). However this condition will not apply when only specific testing is called for/desired on any particular sample.</p> <p>c) "COMPLIES" or "PASSES" in the result column of the report is treated as incomplete report, If the result has some numerical value.</p> <p>d) Every test report must have remarks either as "Standard Quality" or "Not of Standard Quality". Any ambiguity/cutting in reports will not be accepted (clear mention of "Standard quality or not of standard quality" should be stated in bold letter and crossing/cutting of one of these will not be accepted).</p> <p>e) Report should in A4 size (8.27"X11.69") paper of good quality.</p> <p>f) Report should be issued as per prescribed format if any, (under provision of Drug &amp; Cosmetic Act, 1940 and under Medical Device Rule 2017) and should have, Sr.No., Name of the Hospital Consumable and Suture Material sample, Code No., Batch No., Mfg. Date, Expiry Date, description of test, protocol of test specified and applied, findings &amp; results obtained and should be signed by person-in-charge of testing. In case of Not of Standard Quality Reports the final results and reason for failure should be highlighted by pink/red highlighters.</p> <p>g) Not of Standard Quality (NSQ) report should be accompanied with copy of print out of HPLC/ other equipment observations Data Sheet /Analysis sheet.</p>

		<p>h) Test reports shall include related substances wherever applicable.</p> <p>i) Reports should be attached along with Spectra/Chromatography data sheets, if applicable and it will be considered incomplete if spectra or chromatograms are not allowed.</p> <p>2. All the reports of each batch of sample should be submitted to the PHSC in triplicate. In case of failure of a sample, the result should be communicated immediately to the Central Quality Control Cell of the PHSC through Phone/email and the report should be sent along-with protocol.</p> <p>3. If in any circumstances (like break down of instrument, non availability of reference standard etc.) the Analytical Laboratory is unable to undertake analysis for a sample, the same should be reported within 24 hours of receipt of such a sample by Phone or email and the sample should be returned to the In-charge Central Quality Control Cell, Punjab Health Systems Corporation, SAS Nagar (Mohali) after taking necessary telephonic or mail consent. In case of inability of laboratory to undertake the testing a penalty @ 25% of testing charges applicable for the product/products will be recovered.</p> <p>4. If placebo or standard test procedure of any product is required the same should be demanded within 48 hours with return request. Period lased/taken in providing placebo or standard testing procedure will be condoned from prescribed time for that sample.</p> <p>5. If any sample is received in a damaged conditions by the Laboratory, the sample should not be analyzed and the information should be sent immediately to the In-charge , Central Quality Control Cell, PHSC, SAS Nagar ( Mohali) by fax or email.</p> <p>6. The Managing Director, PHSC or his authorized representative(s) has/have the right to inspect the laboratories of the Bidders who have submitted BIDs, before taking any decision regarding empanelment. Similarly, the Managing Director, PHSC or his authorized representatives may also inspect any empanelled laboratory, at any point of time during the continuance of the Contract and terminate/cancel its empanelment or any orders issued to the laboratory, not to entrust any further testing job to the laboratory based on facts brought out during such inspections.</p> <p>7. The successful lab shall have to make own arrangement for collection of sample, from PHSC, Headquarter.</p> <p>8. It will be sole discretion of PHSC to allot the samples to any empanelled lab in case when there are more than one lab approved for an item.</p>
4.	<b>Payment Provisions</b>  <b>(Tender Condition No. 12)</b>	<p>1. No advance payment towards any analysis will be made to the empanelled bidder.</p> <p>2. No payment will be made for the incomplete analysis or incomplete report. Deliberate omission of any critical test will be viewed seriously and shall invite action against the laboratory as deemed fit by PHSC.</p>

		3. Payments towards the analysis of Drugs will be made as per approved rate plus GST/tax on it will be along-with Tax at the prevailing rate as applicable at the time of payment.
5.	<b>Extension in testing &amp; Penalties</b>  (Tender Condition No. 13)	<p>Extension in testing period :- In case of extension in the testing period with liquidated damages the recovery shall be made on the basis of following percentages of testing charges which the Bidder has failed to submit :-</p> <p>(a) Delay up-to one fourth period of the prescribed testing period ; 2.5%</p> <p>(b) Delay exceeding one fourth but not exceeding half of the prescribed testing period; 5%</p> <p>(c) Delay exceeding half but not exceeding three fourth of the prescribed testing period; 7.5%</p> <p>(d) Delay exceeding three fourth of the prescribed testing period; 10%</p> <p><b>NOTE: - Fraction of a day in reckoning period of delay in furnishes the test report shall be eliminated if it is less than half a day. The maximum amount of liquidated damages shall be 10%.</b></p>
6.	<b>General</b>	: This contract for empanelment will be governed by all the terms and conditions of the Bid Document.

*Amel*  
*13.12.25*

**Director (Procurement),  
PHSC, Mohali.**

Copy to :-

1. The Director (F) PHSC, Sahibzada Ajit Singh Nagar for kind information.
2. Joint Commissioner (Drugs) O/o FDA Kharar for kind information.
3. The Systems Analyst, PHSC for information and necessary action.
4. I/c Central Quality Control Cell PHSC, Kharar (Mohali)
5. The Accounts Branch, PHSC, Mohali for information and necessary action.